OK

Depth 6	Contents 7	Reference to last Measurement 8
	61 62 000 =00 B.A - 62 5A75 =00 IT - 6280 =00 GST - 5588 =00 CGST - 5585 =00 CBT - 625 =00 LR - 7400 =00 LWF - 6255 =00 FSD - 32000 =00 Fine - 800 =00 27324 63905 =00 Net 561570 =00	

I st And Final Bill

Work code. 005-19-0000018

M. A. R. 57 (Rule 116)
Measurement Book

No. B Est Cost Rs. 7.50 lacs

Serial No. .....
Name of Work ..... Improvements & Roads And Footpath in Ward no. 05 ..... From ..... To .....
Name of Contractor of nature of Agency ..... Sri. Suresh. K. 353160
Date of commencement of work ..... Ananthapura village. Yelahanka. B. Low. 560064

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Work order No. - BBMP/EE/BTP/WO/45/2019-20. dt. 09.07.2019						
	(1) Earthwork excavation by manual means in hard soil soil in varying an average horizontal through upto 3 mts and an average lift upto 0.30 mts excavated surface trimmed and sides neatly dressed the disposed earth to be covered neatly after breaking & clods compress as per specification						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	As Per Pre-Measurment recorded vide Page No.. 353183 to 353184 in this MB.					92.84 m^3	12097:65
	Rate. 130:30						
(2)	Removing BS slab & drain and stacking. As Per Pre-Measurment recorded vide Page No.. 353184 to 353185 in this MB.					580.80 m^2	57290:11
	Rate. 98:64						

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

M. A. I
Mea

Serial No. .....
Name of Work ..... From.
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Number
1	2	3
(3)	Resizing Stone Slab Quantity	
	Rate. 104:62	
(4)	Providing and laying Rough Dressed and Size ete.. Confirm to Specification.	

OK

Depth 6	Contents 7	Reference to last Measurement 8
	recorded vide in this MB. 92.84 m^3	12097:05
	flooring. recorded vide in this MB. 580.80 m^2	57290:11

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of Work ..... From..... To.....

353161

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
(3)	Refixing Stone Slabs & Grains and Quantity vide Item no. (7) Rate: 104:62					pointing in CM 1:3 580.80 m^2	60763:29
(4)	Providing and laying Granite Slabs & Selected Quality Rough dressed and fixed in CM 1:6 including fixing curing etc. complete 7.5 cm thick etc. complete as per Specification.						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	As per Pre. measurements recorded vide Page No. 353185 & 353186 in this MB. Item No. 2(A) Rate. 697:48					145.20 M² 101274:09	
(5)	Providing and laying in Position Plain Cement Concrete M:20 1:4:8 with OPC cement of 40mm nominal size graded granite metal coarse aggregate of 0.892 cum and fine aggregate as 0.57 cum mean mixed Concrete laid in Layers not exceeding 15cm thick were compacted in Soundation and Plinth Beam and all necessary curing complete as per Specification.						

Date	Full description, etc, of work	Number
1		3
	As per Pre. Mea... Page No. 353... Rate. 5083:63	
(6)	Providing and Constr... Stone Masonry in Sec... Stone hammered dress... with bond stones as ...	

OK

Depth 6	Contents 7	Reference to last Measurement 8
ecorded vide Page		
This MB. 93em No.		
145.20 M^2		
	101274:09	
n Plain Cement Concrete		
of 1:8:16 MM 40 mm		
metal Coarse aggregate		
e as 0.8 Cum measure		
not exceeding 15 cms		
Design and Plain Masonry		
ese as per Specification.		

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of Work ..... From..... To..... 353162

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	As Per Pre-Measurement Page No. 5083:63	353186			recorded vide in this MB.	3.90 M^3	19826:15
(6)	Providing and constructing Granite/trap/basalt ashlar Stone Masonry in foundation with cement mortar 1:6 Stone hammered dressed at corners not less than 20 cms bed with bed stones of 2.0 M or above in each course including						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Cost & materials Labour curing complete as per Specification.						
	As per Pre-measurment recorded vide Page No.. 353187 in this MB.					6.69 m^3	
	Rate · 4579 : 45						30636 : 82
(7)	Providing and constructing granite [stone] Basement & Superstone masonry in basement with CM 1:6 using stones carefully dressed in courses as per given height stones of 2.0 M or above in each courses including cost & materials Labour curing etc. complete						

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency ...
Date of commencement of work .....

Date	Full description, etc, of work
1	2
	Culverts
	(1) 12 M Crore
	(2) 13 M Crore
	Rate · 5463 : 26
(8)	Providing and re... Propping etc. and ... & Beams beam ...

th	Contents 7	Reference to last Measurement 8
	Complete as per	
	orded vide	
	in Mig MB.	
	6.69 M³	
	30636:32	
	wise/drop/ Sagars	
	with CM 1:6 edges	
	ges with cast iron	
	in each courses	
	rming etc. complete	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

353163

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Culverts						
	① 12ᴹ Crack	2	6.30	0.50	0.45	2.83	
	② 13ᴹ Crack	2	6.10	0.50	0.45	2.74	
						5.57 M³	30430:35
	Rate - 5463:26						
	⑧ Providing and removing centering shuttering Straising Propping etc. and removal & form work for sides & Seams beam haunching Construction joints & breasumers						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	and Curing not exceeding 1.0 M in depth including cost & all necessary labour complete as per Specifications						
	As per Pre-Measurement recorded vide Page no.. 353187 to 353188 in Prism.					14.66 m^2	
	Page. 290:95						4265:32
(9)	Providing and laying in position Plain cement concrete of Mix 1:3:6 with OPC cement of 20mm and down size graded granite metal coarse aggregate of 0-8mm and fine aggregate 20.5cm						

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	N
1	2	
	machine mixed Ce 15cms thick wee including Cost & me Specifications.	
	Covers:	(1)
		(2)
	Vent Concrete.	(1)
		(2)

Contents 7	Reference to last Measurement 8
...epm including	
as per Specifications	
...corded vide	
...ges pp.	
14.66 m²	
4265:32	
Plain Cement	
...t @ 220 Rs	
...ransit metal	
...@ rate 20.85 Rs	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

353164

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	making mixed Concrete laid in layers not exceeding 15 cms thick well compacted in foundations and plinth including cost & necessary labour curing complete as per Specifications.						
	Cuverts: (1)	2	6.30	0.50	0.10	0.63	
	(2)	2	6.10	0.50	0.10	0.61	
	Vent Concrete: (1)	1	6.30	0.50	0.10	0.31	
	(2)	1	6.10	0.50	0.10	0.30	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	For Kerb bottom.						
	2nd Main -	1	30.00	0.25	0.10	0.75	
		1	30.00	0.25	0.10	0.75	
		1	30.00	0.25	0.10	0.75	
		1	30.00	0.25	0.10	0.75	
		1	30.00	0.25	0.10	0.75	
		1	30.00	0.25	0.10	0.75	
		1	30.00	0.25	0.10	0.75	
		1	30.00	0.25	0.10	0.75	
		1	30.00	0.25	0.10	0.75	
		1	30.00	0.25	0.10	0.75	
		1	10.00	0.25	0.10	0.25	

2572 1105

Serial No. .....
Name of Work .....
Name of Contractor of nature of Age
Date of commencement of work .....

Date	Full description, etc, of wor
1	2
(10)	Rate · 5289 : providing FU work CM 1:3

OK

Depth 6	Contents 7	Reference to last Measurement 8
0.10	0.75	
0.10	0.75	
0.10	0.75	
0.10	0.75	
0.10	0.75	
0.10	0.75	
0.10	0.75	
0.10	0.75	
0.10	0.75	
0.10	0.25	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

353165

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
		1	20.00	0.25	0.10	0.50	
		1	30.00	0.25	0.10	0.75	
		1	30.00	0.25	0.10	0.75	
		1	30.00	0.25	0.10	0.75	
		1	30.00	0.25	0.10	0.75	
		1	20.00	0.25	0.10	0.50	
						12.85 m^3	67975.00 / 65330.14
	Rate · 5289:89						
(10)	providing Flush Pointing to Coursed stone masonry with CM 1:3 20 mm deep after making joints to desired						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	& Communicating cinning including Centr & materials Lasom curing complete as per Specification.						
	①	2	6.30	-	0.50	6.30	
	②	2	6.10	-	0.50	6.10	
						12.40m²	
							1198 : 46
	Rate · 96 : 65						
(11)	Providing and Laying in Position Plain Cement Concrete 8 Mix M20 with OPC Cement at 320 kg/m³ Comm and Sand 8 20 graded Granite metal Coarse aggregate of 0.878cum and fine aggregate of 0.459cum with Superplasticizer at 3.5%						

1.1.05

7522

Serial No. .....

Name of Work ..... F

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Num
1	2	3
	Conforming to IS 9	
	15cms thick RCC slab for Ground floor for Roof	
	Between walls including all necessary Comp	
	Curves	
	①	1
	②	1
	Missing Slabs	2
	Rate. 5638 : 63	

epth 6	Contents 7	Reference to last Measurement 8
	Cent & materials Specification.	
.50	6.30	✓
.50	6.10	✓
	12.40 m²	✓
		1198 : 46
	Plain Cement Concrete ug 40 mm nominal aggregate ess/mixer as 0.878 cum	
	n superplasticizer as per	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of Work ..... From..... To.....

353166

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Conforming to IS 9103. 1999 Reinforced concrete mixed ready 15 cms thick reinforced for all curves in foundation plinth and Ground floor for roof slabs staircase landings retaining walls Return walls including exposed plastering including cent & all materials complete as per Specification.						
	Curves (1)	1	6.30	1.60	0.23	2.31	
	(2)	1	6.10	1.60	0.23	2.24	
	Missing slabs	2	1.60	0.60	0.23	0.44	
	Ref. 5638 : 63					4.99 m³	28136 : 76

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(12) Providing TMT Steel reinforcement for RCC Work including Straightening cutting bending hooking placing in position tying and or welding wherever required tying wire and anchoring to the adjoining members wherever necessary complete as per design (Lap hooks and wastage shall not be measured and paid seperately) Complete as per specification.						
	As per Pre-Measurement recorded vide Page No.. 353188 to 353189 in this MB.					0.385 Ton	
	Page. 70710:22					27223:22	

M.

Serial No. .....
Name of Work ..... F
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Num
1	2	3
	(13) Providing and fi... pers stones made ... with 114 and 168 m... in cement mortar ... including formwork ... cost of transportation etc. ... 2nd main	

	Contents	Reference to last Measurement
	7	8
	for RCC work including Placing in Position required jointing arrangement (all hooks part) complete	
	recorded vide M/s MB. 0.385 Pm 27223:55	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of Work ..... From..... To.....

353167

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(13)	Providing and fixing Pre cast Solid cement concrete Pers stones made out of CC 1:2:4 with PCC and section width 114 and 168 mm respectively 600 mm high and 450 mm in length finished with CM 1:3 Plastered and finishing curing including formwork curing including cost of all material cost of machines & mechanical loading unloading loading transportation etc.. complete as per specification.						
	2nd Main CRFC	1	30.00	-	-	30.00	

25/10

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	30.00	-	-	30.00	
		1	30.00	-	-	30.00	
		1	30.00	-	-	30.00	
		1	30.00	-	-	30.00	
		1	30.00	-	-	30.00	
		1	30.00	-	-	30.00	
		1	30.00	-	-	30.00	
		1	30.00	-	-	30.00	
		1	10.00	-	-	10.00	
		1	20.00	-	-	20.00	
		1	30.00	-	-	30.00	

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work
1	2
	Deduction Existing kerb stone

OK

Depth 6	Contents 7	Reference to last Measurement 8
-	30.00	
-	30.00	
-	30.00	
-	30.00	
-	30.00	
-	30.00	
-	30.00	
-	30.00	
-	10.00	
-	20.00	
-	30.00	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of Work ..... From..... To..... 353168

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
		1	30.00	-	-	30.00	
		1	30.00	-	-	30.00	
	CLEAR 23/10	1	30.00	-	-	30.00	
		1	20.00	-	-	20.00	
						440.00 MM	
	Deduction Existing kerb stones.						
		1	9.00	-	-	9.00	
		1	18.00	-	-	18.00	

(13)

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	27.00	-	-	27.00	
		1	8.85	-	-	8.85	
		1	12.15	-	-	12.15	
		1	17.55	-	-	17.55	
		1	29.25	-	-	29.25	
		1	22.95	-	-	22.95	
		1	23.40	-	-	23.40	
		1	20.70	-	-	20.70	
		1	23.85	-	-	23.85	

Net .

Page. 406 : 53

Serial No. .....

Name of Work .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	N
1	2	

	Contents 7	Reference to last Measurement 8
	27.00	
	8.85	
	12.15	
	17.55	
	29.25	
	22.95	
	23.40	
	20.70	
	23.85	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of Work ..... From..... To..... 353169

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
		1	22.05	–	–	22.05	
		1	20.70	–	–	20.70	
		1	8.10	–	–	8.10	
						263.25	M&V
	Ned . (440.00 – 263.25) :					176.75	M&V
			176.75 / 0.45		:	392.77	No.8
	Rate. 406:53		Limited to			391.11	No.8. 158997:94

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(14)	Applying Priming Coat Over new Wood Surface and or wood based Surface preparing the Surface after thoroughly cleaning oil grease dirt and foreign matter Sand papering and applying ready mix paint including Cost of materials (Colour Courtesy as per Specification. 2nd Main.						
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency
Date of commencement of work .....

Date	Full description, etc, of work
1	2

Contents	Reference to last Measurement
7	8
ed Surface and	
Surface asser	
Severin master	
Paved including	
r Specification.	
9.00	
9.00	
9.00	
9.00	
9.00	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

353170

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	
		1	10.00	-	0.30	3.00	
		1	20.00	-	0.30	6.00	
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
		1	30.00	-	0.30	9.00	
		1	20.00	-	0.30	6.00	
						132.00 m^2	
	Page · 49 : 82						6576 : 24
(15)	Providing and applying painting two coats (excluding priming coats) on new wood surface and on wood based surface with enamel paint to give an even shade cleaning the surface & all dirt dust and foreign matter sand papering including cost & necessary labour Complete as per specification etc complete						

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agen
Date of commencement of work .....

Date 1	Full description, etc, of wor 2
	2nd main

K

Depth 6	Contents 7	Reference to last Measurement 8
.30	9.00	
.30	6.00	
	132.00 m^2	
	6576:24	
	two coats (excluding	
	ace and or wood	
	th give an even shade	
	and foreign matter	
	entals Labour Charge	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

353171

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	2nd main	1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	

Accepted quantities as per site
C&FC
23/10

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	10.00	-	0.30	3.00	
		1	20.00	-	0.30	6.00	
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	
		1	30.00	-	0.30	9.00	
		1	20.00	-	0.30	6.00	
						132.00 M^2	
	Rate. 96:65						12757:80
(16)	Lead For Disposal & Depositing Excess Excavated Earth by Mechanical means at Carriage Rate including						

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	N
1	2	
	leading and unload... As per Specification... Rate. 68:73	

25/9/19
Assistant Executive Engineer

tents	Reference to last Measurement
7	8
.00	
00	
.00	
.00	
.00	
.00	
.00	
32.00 m²	12757:80
se	Payasce
ng	including

M. A. R. 57 (Rule 116)
Measurement Book

No. B

353172

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	leading and unloading from 0.00 to 2.00 km ese. Contract as per Specification. Quantity vide Item no. (1)					92.84 m³	6380:89
	Rate. 68:73						625475:00

25/9/19
सहायक अभियंतरु
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ವ್ಯಾಲರಾಯನಪುರ ಉಪ ವಿಭಾಗ

CJRC

25/9/2019
ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು
ವಾಲರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ., ಬೆಂಗಳೂರು-24

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Certificate. (1) Certified that the work has been done satisfactorily (2) This bill amount has not been claimed in any previous bill. Telecom Layout 2nd main Road						

25/9/19
ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

C/PC

25/9/19
ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ., ಬೆಂಗಳೂರು-24

Serial No. .....
Name of Work .....
Name of Contractor of nature of Ag
Date of commencement of work ....

Date	Full description, etc, of w
1	2
	BA - 700500 IT - 7005=00 GST - 6254=00 CGST - 6254=00 CBF - 700=00 LR - 7400=00 LWF - 7005=00 FSD - 35100=00 Fine - 200=00 TD - 69918=00 Net - 630582=00

Contents	Reference to last Measurement
7	8
Advance Bank Saving form was not been claimed in bill.	
out of road	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 353173

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	BA - 700500 IT - 7005=00 GST - 6254=00 CGST - 6254=00 CBF - 700=00 LR - 7400=00 LWF - 7005=00 FSD - 35100=00 Fine - 200=00 TD - 69918=00 Net - 630582=00						BA - 625475=00 IT - 6255=00 GST - 5585=00 CGST - 5585=00 CBF - 625=00 LR - 7400=00 LWF - 6255=00 FSD - 32000=00 Fine - 200=00 TD - 63905 - 561570=00

ಲೆಕ್ಕತೀರ್ಷಿಕೆ P - 3296 ರಡಿ
ಬಿಲ್ಲು ಮೊಬಲಗು ರೂ. 700500=00 ಗಳನ್ನು ಪಾಸು ಮಾಡಿದೆ.
ಇದರಲ್ಲಿ ರೂ. 6991 8=00 ಗಳನ್ನು ಹೊಂದಾಣಿಕೆ
ಮಾಡಿಕೊಂಡು ರೂ. 630582=00 ಗಳನ್ನು
FT/NDSI/RTGS ಮುಖಾಂತರ ಸಂದಾಯ ಮಾಡಿದೆ.
ಸಹಿ/ ನಿರ್ವಾಹಕರು
ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಂಗಳೂರು ವಿಭಾಗ
ಬೃ.ಬೆ.ಮ.ಪಾ. ಬೆಂಗಳೂರು
ಕಾರ್ಯ ಪಾಲಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಂಗಳೂರು ವಿಭಾಗ
ಬೃ.ಬೆ.ಮ.ಪಾ ಬೆಂಗಳೂರು